MATERIAL SAFETY DATA SHEET

CB-80 Insecticide



MSDS Ref. No.: 100000015916 Date Approved: 04/02/2010

Revision No.: 2

This document has been prepared to meet the requirements of the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200 and other regulatory requirements.

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: CB-80 Insecticide

PRODUCT CODE: 6545

ACTIVE INGREDIENT(S): Pyrethrins*; Piperonyl butoxide (PBO)**

CHEMICAL FAMILY: Pyrethrins Insecticide

SYNONYMS: Pyrethrins and Pyrethroids, Pyrethrum*;

Butylcarbityl(6-propylpiperonyl) ether, 1,3-Benzodioxole, 5-[[2-(2-

butoxyethoxy]methyl]-6-propyl-**

GENERAL USE: Insecticide

EPA Registration No. 279-3393

MANUFACTURER

EMERGENCY TELEPHONE NUMBERS

(651) 632-6793 (Medical - Collect - All Other Countries)

FMC CORPORATION Agricultural Products Group 1735 Market Street Philadelphia, PA 19103

(215) 299-6000 (General Information)

msdsinfo@fmc.com (Email - General Information)

For leak, fire, spill, or accident emergencies, call:

(800) 331-3148 (Medical - U.S.A. & Canada)

(800) 424-9300 (CHEMTREC - U.S.A. & Canada) (703) 527-3887 (CHEMTREC - Collect - All Other Countries)

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

- Flammable liquid and vapor.
- Contents under pressure, do not expose to fire or extreme heat.
- Harmful if inhaled, absorbed through skin or swallowed.
- May be irritating to the skin and eyes.
- Irritating to the upper respiratory tract at high airborne concentrations.

POTENTIAL HEALTH EFFECTS: Effects from overexposure may occur from inhaling, or coming into contact with skin or eyes. The components in this product may be irritating to the eyes, skin and respiratory tract.

Date: 04/02/2010

MEDICAL CONDITIONS AGGRAVATED: None presently known.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS#	Wt.%	EC No.	EC Class
Pyrethrins	8003-34-7	0.5	None	Xn, N: R20/21/22-50/53
Piperonyl butoxide (PBO)	51-03-6	4	200-076-7	Not classified per Annex I of Directive 67/548/EEC
Isopropanol	67-63-0	10 - 15	200-661-7	F-Xi; R11-36-67
1,1-Difluoroethane	75-37-6	65 - 75	200-866-1	Not classified per Annex I of Directive 67/548/EEC

4. FIRST AID MEASURES

EYES: Flush with large quantities of water for at least 15 minutes, lifting the upper and lower eyelids intermittently. If wearing contact lenses, remove after the first five minutes and continue flushing with water. If irritation occurs and persists, get medical attention.

SKIN: Remove contaminated clothing and thoroughly wash with soap and water. If irritation occurs and persists, contact a medical doctor.

INGESTION: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything to an unconscious person.

INHALATION: Remove to fresh air. If breathing difficulty or discomfort occurs and persists, see a medical doctor. If breathing has stopped, give artificial respiration and see a medical doctor immediately.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Use water fog, carbon dioxide, dry chemical, foam

FIRE / EXPLOSION HAZARDS: Exposure to temperatures above 130°F may cause container to rupture.

FIRE FIGHTING PROCEDURES: Isolate area. Evacuate downwind. Fight fire from protected location or safe distance. Keep containers cool to avoid bursting. Wear full protective clothing and self-contained breathing apparatus.

Date: 04/02/2010

6. ACCIDENTAL RELEASE MEASURES

RELEASE NOTES: Isolate and post spill area. Wear protective clothing and personal protective equipment as prescribed in Section 8, "Exposure Controls/Personal Protection". Keep unprotected persons and animals out of the area.

7. HANDLING AND STORAGE

HANDLING AND STORAGE: Store in a cool, dry, well-ventilated place. Do not use or store near heat, open flame or hot surfaces. Do not contaminate other products, water or food by storage or disposal.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS

Chemical Name	ACGIH	OSHA	Supplier
Pyrethrins	5 mg/m ³ (TWA)	5 mg/m ³ (PEL)	
Isopropanol	200 ppm (TWA) 400 ppm (STEL)	400 ppm (PEL) 980 mg/m ³ (PEL) 500 ppm (STEL) 1,225 mg/m ³ (STEL)	

ENGINEERING CONTROLS: Use in well ventilated area. Avoid contact.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: For splash, mist or spray exposure, wear chemical protective goggles or a face shield.

RESPIRATORY: When used as directed, respiratory protection is not required. High concentrations may require air supplied systems.

PROTECTIVE CLOTHING: No special clothing is required; however, all work clothing should be laundered before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

ODOR: Pyrethrin

APPEARANCE: Yellow liquid (Aerosol)

FLASH POINT: 14.44 °C (58 °F) Flame extension 5" - no flashback

pH: Not available

SPECIFIC GRAVITY: 0.8746

10. STABILITY AND REACTIVITY

CONDITIONS TO AVOID: Excessive heat, sparks, open flames and other

sources of ignition.

STABILITY: Stable

POLYMERIZATION: Will not occur

INCOMPATIBLE MATERIALS: Avoid contact with strong oxidizers, alkaline

materials and powdered earth metals.

Date: 04/02/2010

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide, hydrogen

fluoride and carbonyl fluoride.

11. TOXICOLOGICAL INFORMATION

EYE EFFECTS: May be irritating to the eyes.

SKIN EFFECTS: May be irritating to the skin.

DERMAL LD₅₀: Pyrethrins: > 2,000 mg/kg (rat)

Piperonyl butoxide: > 2,000 mg/kg (rat)

N-octyl bicycloheptene dicarboximide: > 5,000 mg/kg (rabbit)

ORAL LD₅₀: Pyrethrins: 2,370 mg/kg (male rat)

Pyrethrins: 1,030 mg/kg (female rat) Piperonyl butoxide: 4,570 mg/kg (male rat) Piperonyl butoxide: 7,220 mg/kg (female rat)

N-octyl bicycloheptene dicarboximide: 5,000 mg/kg (rat)

INHALATION LC₅₀: Pyrethrins: 2.5 mg/l (4 h) (female rat)

Pyrethrins: 3.9 mg/l (4 h) (male rat) Pyrethrins: 3.4 mg/l (4 h) (combined) Piperonyl butoxide: > 5.9 mg/l (4 h) (rat)

ACUTE EFFECTS FROM OVEREXPOSURE: Harmful if inhaled, absorbed through skin or swallowed. This product may be irritating to the eyes and skin. Ingestion or inhalation of large quantities of isopropanol vapors may cause flushing, headache, dizziness, mental depression, nausea, vomiting, narcosis, anesthesia and coma. Inhalation of high concentrations of 1,1-difluoroethane is harmful and may cause heart irregularities, unconcsciousness or death.

Date: 04/02/2010

CHRONIC EFFECTS FROM OVEREXPOSURE: Piperonyl butoxide ether may affect mammalian liver microsomal detoxification enzymes. Mice fed 0.3 or 0.9% piperonyl butoxide in the diet for 20 days had increased liver weight and other signs of liver toxicity. Male rats given up to 2.4% of piperonyl butoxide in the diet for up to 12 weeks had clinical and histologic signs of liver damage; the highest dose group showed preneoplastic changes, including enlargement of hepatocyte nuclei and multinucleated cells. Kidney damage was also seen. Isopropanol has been reported to cause teratogenicity in laboratory animals.

CARCINOGENICITY:

Chemical Name	IARC	NTP	OSHA	Other
Piperonyl butoxide (PBO)	3	Not listed	Not listed	(ACGIH) Not listed

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: No data available for the product.

ECOTOXICOLOGICAL INFORMATION: No data available for the product.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Do not puncture or incinerate container. Open dumping or burning of this material or its packaging is prohibited. Empty containers can be disposed of with ordinary household trash, as per label recommendations.

EMPTY CONTAINER: Do not puncture or incinerate container.

14. TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION (DOT)

PACKAGING TYPE: 17 oz. Container

PROPER SHIPPING NAME: Consumer Commodity

PRIMARY HAZARD CLASS / DIVISION: ORM-D

PACKAGING TYPE: 13 lb. Cylinder

PROPER SHIPPING NAME: Compressed gas, flammable, n.o.s.

TECHNICAL NAME(S): 1,1-Difluoroethane, Isopropyl alcohol

Date: 04/02/2010

PRIMARY HAZARD CLASS / DIVISION: 2.1

UN/NA NUMBER: UN 1954
MARINE POLLUTANT: Pyrethrins

LABEL(S):FLAMMABLE GASPLACARD(S):FLAMMABLE GAS

MARKING(S): UN 1954 + Marine Pollutant

INTERNATIONAL MARITIME DANGEROUS GOODS (IMDG)

PACKAGING TYPE: 17 oz. Container

PROPER SHIPPING NAME: Aerosols

PRIMARY HAZARD CLASS / DIVISION: 2.1

UN/NA NUMBER: UN 1950
MARINE POLLUTANT: Pyrethrins

LABEL(S):FLAMMABLE GASPLACARD(S):FLAMMABLE GAS

MARKING(S): UN 1950 + Marine Pollutant

PACKAGING TYPE: 13 lb. Cylinder

PROPER SHIPPING NAME: Compressed gas, flammable, n.o.s.

TECHNICAL NAME(S): 1,1-Difluoroethane, Isopropyl alcohol

PRIMARY HAZARD CLASS / DIVISION: 2.1

UN/NA NUMBER: UN 1954
MARINE POLLUTANT: Pyrethrins

LABEL(S): FLAMMABLE GAS
PLACARD(S): FLAMMABLE GAS

MARKING(S): UN 1954 + Marine Pollutant

INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) / INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA)

PACKAGING TYPE: 17 oz. Container

PROPER SHIPPING NAME: Consumer Commodity

PRIMARY HAZARD CLASS / DIVISION: 9

UN/NA NUMBER: ID8000

PACKAGING TYPE: 13 lb. Cylinder

PROPER SHIPPING NAME: Compressed gas, flammable, n.o.s.

TECHNICAL NAME(S): 1,1-Difluoroethane, Isopropyl alcohol

PRIMARY HAZARD CLASS / DIVISION: 2.1

UN/NA NUMBER: UN1954

ADDITIONAL INFORMATION: Marks: Compressed gas, flammable, n.o.s.

(1,1-Difuoroethane, Pyrythrins) UN1954 +

Date: 04/02/2010

Marine Pollutant

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355, APPENDIX A):

Not listed

SECTION 311 HAZARD CATEGORIES (40 CFR 370):

Immediate, Delayed, Pressure

SECTION 312 THRESHOLD PLANNING QUANTITY (40 CFR 370):

The Threshold Planning Quantity (TPQ) for this product, if treated as a mixture, is 10,000 lbs; however, this product contains the following ingredients with a TPQ of less than 10,000 lbs.: None

SECTION 313 REPORTABLE INGREDIENTS (40 CFR 372):

This product contains the following ingredients subject to Section 313 reporting requirements: Piperonyl butoxide, Isopropanol

CERCLA (COMPREHENSIVE ENVIRONMENTAL RESPONSE COMPENSATION AND LIABILITY ACT)

CERCLA DESIGNATION & REPORTABLE QUANTITIES (RQ) (40 CFR 302.4):

Listed

Chemical NameRQPyrethrins1 lbIsopropanol100 lb

16. OTHER INFORMATION

REVISION SUMMARY:

This MSDS replaces Revision #1, dated December 16, 2009. Changes in information are as follows:
Section 1 (Product and Company Identification)
Section 16 (Other Information)

FMC - Trademark of FMC Corporation

© 2010 FMC Corporation. All Rights Reserved.

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specific product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.

Date: 04/02/2010